OIPE

RAW SEQUENCE LISTING

DATE: 10/24/2001

PATENT APPLICATION: US/09/724,685

TIME: 12:35:47

Input Set : A:\-85-6-1.app

Output Set: N:\CRF3\10242001\I724685.raw

SEQUENCE LISTING

(1) GENERAL INFORMATION:

```
ENTERED
             (i) APPLICANT: Reed, Steven G.
      7
                            Skeiky, Yasir
                            Dillon, Davin C.
      8
      9
                            Campos-Neto, Antonio
     11
            (ii) TITLE OF INVENTION: Compounds and Methods for
                                     Immunotherapy and Diagnosis of Tuberculosis
     12
           (iii) NUMBER OF SEQUENCES: 155
     14
            (iv) CORRESPONDENCE ADDRESS:
                  (A) ADDRESSEE: Townsend and Townsend and Crew LLP
     17
                  (B) STREET: Two Embarcadero Center, Eighth Floor
     18
                  (C) CITY: San Francisco
     19
     20
                  (D) STATE: California
     21
                 (E) COUNTRY: USA
                  (F) ZIP: 94111-3834
     22
     24
             (v) COMPUTER READABLE FORM:
                  (A) MEDIUM TYPE: Floppy disk
     25
                  (B) COMPUTER: IBM PC compatible
     26
     27
                  (C) OPERATING SYSTEM: PC-DOS/MS-DOS
     28
                  (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
     30
            (vi) CURRENT APPLICATION DATA:
C--> 31
                  (A) APPLICATION NUMBER: US/09/724,685 (A)
C--> 32
                  (B) FILING DATE: 28-Nov-2000
                  (C) CLASSIFICATION:
     33
           (vii) PRIOR APPLICATION DATA:
     63
     36
                  (A) APPLICATION NUMBER: US 08/523,436
     37
                  (B) FILING DATE: 01-SEP-1995
     40
                  (A) APPLICATION NUMBER: US 08/533,634
     41
                  (B) FILING DATE: 22-SEP-1995
     44
                  (A) APPLICATION NUMBER: US 08/620,874
     45
                  (B) FILING DATE: 22-MAR-1996
     48
                  (A) APPLICATION NUMBER: US 08/659,683
                  (B) FILING DATE: 05-JUN-1996
     49
                  (A) APPLICATION NUMBER: US 08/680,574
     52
     53
                  (B) FILING DATE: 12-JUL-1996
     56
                  (A) APPLICATION NUMBER: WO PCT/US96/14674
     57
                  (B) FILING DATE: 30-AUG-1996
     60
                  (A) APPLICATION NUMBER: US 08/730,511
                  (B) FILING DATE: 11-OCT-1996
     61
```

(A) APPLICATION NUMBER: US 08/818,112

(C) REFERENCE/DOCKET NUMBER: 014058-008561US

(B) FILING DATE: 13-MAR-1997

(A) NAME: Bastian, Kevin L.

(ix) TELECOMMUNICATION INFORMATION:

(B) REGISTRATION NUMBER: 34,774

(viii) ATTORNEY/AGENT INFORMATION:

64 65

67

68

69

70

72

Input Set : A:\-85-6-1.app

Output Set: N:\CRF3\10242001\I724685.raw

```
73
             (A) TELEPHONE: (415) 576-0200
74
             (B) TELEFAX: (415) 576-0300
77 (2) INFORMATION FOR SEQ ID NO: 1:
        (i) SEQUENCE CHARACTERISTICS:
80
             (A) LENGTH: 766 base pairs
             (B) TYPE: nucleic acid
81
             (C) STRANDEDNESS: single
82
83
             (D) TOPOLOGY: linear
       (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:
85
87 CGAGGCACCG GTAGTTTGAA CCAAACGCAC AATCGACGGG CAAACGAACG GAAGAACACA
                                                                            60
89 ACCATGAAGA TGGTGAAATC GATCGCCGCA GGTCTGACCG CCGCGGCTGC AATCGGCGCC
                                                                           120
91 GCTGCGGCCG GTGTGACTTC GATCATGGCT GGCGGCCCGG TCGTATACCA GATGCAGCCG
                                                                           180
93 GTCGTCTTCG GCGCCCACT GCCGTTGGAC CCGGCATCCG CCCCTGACGT CCCGACCGCC
                                                                           240
95 GCCCAGTTGA CCAGCCTGCT CAACAGCCTC GCCGATCCCA ACGTGTCGTT TGCGAACAAG
                                                                          300
97 GGCAGTCTGG TCGAGGGCGG CATCGGGGGC ACCGAGGCGC GCATCGCCGA CCACAAGCTG
                                                                           360
99 AAGAAGGCCG CCGAGCACGG GGATCTGCCG CTGTCGTTCA GCGTGACGAA CATCCAGCCG
                                                                           420
101 GCGGCCGCC GTTCGGCCAC CGCCGACGTT TCCGTCTCGG GTCCGAAGCT CTCGTCGCCG
                                                                            480
103 GTCACGCAGA ACGTCACGTT CGTGAATCAA GGCGGCTGGA TGCTGTCACG CGCATCGGCG
                                                                            540
105 ATGGAGTTGC TGCAGGCCGC AGGGNAACTG ATTGGCGGGC CGGNTTCAGC CCGCTGTTCA
                                                                            600
107 GCTACGCCGC CCGCCTGGTG ACGCGTCCAT GTCGAACACT CGCGCGTGTA GCACGGTGCG
                                                                            660
109 GTNTGCGCAG GGNCGCACGC ACCGCCCGGT GCAAGCCGTC CTCGAGATAG GTGGTGNCTC
                                                                            720
111 GNCACCAGNG ANCACCCCCN NNTCGNCNNT TCTCGNTGNT GNATGA
                                                                            766
114 (2) INFORMATION FOR SEQ ID NO: 2:
         (i) SEQUENCE CHARACTERISTICS:
116
117
              (A) LENGTH: 752 base pairs
118
              (B) TYPE: nucleic acid
119
              (C) STRANDEDNESS: single
120
              (D) TOPOLOGY: linear
        (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:
124 ATGCATCACC ATCACCATCA CGATGAAGTC ACGGTAGAGA CGACCTCCGT CTTCCGCGCA
                                                                             60
126 GACTTCCTCA GCGAGCTGGA CGCTCCTGCG CAAGCGGGTA CGGAGAGCGC GGTCTCCGGG
                                                                            120
128 GTGGAAGGGC TCCCGCCGGG CTCGGCGTTG CTGGTAGTCA AACGAGGCCC CAACGCCGGG
                                                                            180
130 TCCCGGTTCC TACTCGACCA AGCCATCACG TCGGCTGGTC GGCATCCCGA CAGCGACATA
                                                                            240
132 TTTCTCGACG ACGTGACCGT GAGCCGTCGC CATGCTGAAT TCCGGTTGGA AAACAACGAA
                                                                            300
134 TTCAATGTCG TCGATGTCGG GAGTCTCAAC GGCACCTACG TCAACCGCGA GCCCGTGGAT
                                                                            360
136 TCGGCGGTGC TGGCGAACGG CGACGAGGTC CAGATCGGCA AGCTCCGGTT GGTGTTCTTG
                                                                            420
138 ACCGGACCCA AGCAAGGCGA GGATGACGGG AGTACCGGGG GCCCGTGAGC GCACCCGATA
                                                                            480
140 GCCCGCGCT GGCCGGGATG TCGATCGGGG CGGTCCTCCG ACCTGCTACG ACCGGATTTT
                                                                            540
142 CCCTGATGTC CACCATCTCC AAGATTCGAT TCTTGGGAGG CTTGAGGGTC NGGGTGACCC
                                                                            600
144 CCCCGCGGC CTCATTCNGG GGTNTCGGCN GGTTTCACCC CNTACCNACT GCCNCCCGGN
                                                                            660
146 TTGCNAATTC NTTCTTCNCT GCCCNNAAAG GGACCNTTAN CTTGCCGCTN GAAANGGTNA
                                                                            720
148 TCCNGGGCCC NTCCTNGAAN CCCCNTCCCC CT
                                                                            752
151 (2) INFORMATION FOR SEQ ID NO: 3:
153
         (i) SEQUENCE CHARACTERISTICS:
154
              (A) LENGTH: 813 base pairs
155
              (B) TYPE: nucleic acid
156
              (C) STRANDEDNESS: single
157
              (D) TOPOLOGY: linear
159
        (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:
```

Input Set : A:\-85-6-1.app

Output Set: N:\CRF3\10242001\1724685.raw

161	CATATGCATC ACCATCACCA TCACACTTCT AA	ACCGCCCAG CGCGTCGGGG	GCGTCGAGCA	60				
	CCACGCGACA CCGGGCCCGA TCGATCTGCT AC			120				
	CAGCGCGATG CCCTATGTTT GTCGTCGACT CA			180				
167	GCGGCCGGCG GTGCTGCAAA CTACTCCCGG AG	GGAATTTCG ACGTGCGCAT	CAAGATCTTC	240				
	ATGCTGGTCA CGGCTGTCGT TTTGCTCTGT TO			300				
	ACCTACTGCG AGGAGTTGAA AGGCACCGAT AG			360				
	GACCCGGCCT ACAACATCAA CATCAGCCTG CO			420				
	GAAAATTACA TCGCCCAGAC GCGCGACAAG T			480				
	CGCGAAGCCC CCTACGAATT GAATATCACC TO			540				
	CGTGGTACGC AGGCCGTGGT GCTCAMGGTC TA			600				
	ACCACGTACA AGGCCTTCGA TTGGGACCAG GO			660				
183	CTGTGGCAGG CTGACACCGA TCCGCTGCCA G	TCGTCTTCC CCATTGTTGC	AAGGTGAACT	720				
185	GAGCAACGCA GACCGGGACA ACWGGTATCG AS	TAGCCGCCN AATGCCGGCT	TGGAACCCNG	780				
	TGAAATTATC ACAACTTCGC AGTCACNAAA NA	·	•	813				
	(2) INFORMATION FOR SEQ ID NO: 4:	,						
192	(i) SEQUENCE CHARACTERISTICS:							
193	• •	rs						
194	· ·							
195	, ,							
196	· · · · · · · · · · · · · · · · · · ·							
198								
200	CGGTATGAAC ACGGCCGCGT CCGATAACTT CC	CAGCTGTCC CAGGGTGGGC	AGGGATTCGC	60				
202	CATTCCGATC GGGCAGGCGA TGGCGATCGC GG	GGCCAGATC CGATCGGGTG	GGGGGTCACC	120				
204	CACCGTTCAT ATCGGGCCTA CCGCCTTCCT CC	GGCTTGGGT GTTGTCGACA	ACAACGGCAA	180				
206	CGGCGCACGA GTCCAACGCG TGGTCGGGAG CC	GCTCCGGCG GCAAGTCTCG	GCATCTCCAC	240				
208	CGGCGACGTG ATCACCGCGG TCGACGGCGC TC	CCGATCAAC TCGGCCACCG	CGATGGCGGA	300				
210	CGCGCTTAAC GGGCATCATC CCGGTGACGT CA	ATCTCGGTG AACTGGCAAA	CCAAGTCGGG	360				
212	CGGCACGCGT ACAGGGAACG TGACATTGGC CO	GAGGGACCC CCGGCCTGAT	TTCGTCGYGG	420				
214	ATACCACCCG CCGGCCGGCC AATTGGA			447				
217	L7 (2) INFORMATION FOR SEQ ID NO: 5:							
219								
220	, ,							
221	· · ·							
222	, ,							
223	(D) TOPOLOGY: linear	·						
225	(xi) SEQUENCE DESCRIPTION: SEQ							
	GTCCCACTGC GGTCGCCGAG TATGTCGCCC AC		•	60				
	CCGGTGATCC GACGTCGCAG GTTGTCGAAC CC			120				
	AGCCCGGCGA CGGCGAGCGC CGGAATGGCG CC			180				
	CCGGCGACGG NGAGCGCCGG AATGGCGCGA GT			240				
	ATCCAATCAA CCTGNATTCG GNCTGNGGGN CC			300				
	TGAATGATGG AAAACGGGNG GNGACGTCCG N			360				
	NGTNGNGGNT ATCAGGATGT TCTTCGNCGA A			420				
	NNANNCCNAN GGNGTCCNAN CCCNNNNTCC TO			480				
	NAAAAGGTG GANCAGNNNN AANTNGNGGN CO			540				
	NNNTNTTNNC ANNNNNNTG NNGNNGNNCN NE	NNCAANCNN NTNNNNGNAA	NNGGNTTNTT	600				
	NAAT			604				
250 (2) INFORMATION FOR SEQ ID NO: 6:								
252 (i) SEQUENCE CHARACTERISTICS:								

Input Set : A:\-85-6-1.app

Output Set: N:\CRF3\10242001\I724685.raw

```
253
               (A) LENGTH: 633 base pairs
 254
               (B) TYPE: nucleic acid
 255
               (C) STRANDEDNESS: single
 256
               (D) TOPOLOGY: linear
         (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:
 258
 260 TTGCANGTCG AACCACCTCA CTAAAGGGAA CAAAAGCTNG AGCTCCACCG CGGTGGCGGC
                                                                             60
 262 CGCTCTAGAA CTAGTGKATM YYYCKGGCTG CAGSAATYCG GYACGAGCAT TAGGACAGTC
                                                                            120
 264 TAACGGTCCT GTTACGGTGA TCGAATGACC GACGACATCC TGCTGATCGA CACCGACGAA
                                                                            180
 266 CGGGTGCGAA CCCTCACCCT CAACCGGCCG CAGTCCCGYA ACGCGCTCTC GGCGGCGCTA
                                                                            240
 268 CGGGATCGGT TTTTCGCGGY GTTGGYCGAC GCCGAGGYCG ACGACGACAT CGACGTCGTC
                                                                            300
 270 ATCCTCACCG GYGCCGATCC GGTGTTCTGC GCCGGACTGG ACCTCAAGGT AGCTGGCCGG
                                                                            360
 272 GCAGACCGCG CTGCCGGACA TCTCACCGCG GTGGGCGGCC ATGACCAAGC CGGTGATCGG
                                                                            420
 274 CGCGATCAAC GGCGCCGCGG TCACCGGCGG GCTCGAACTG GCGCTGTACT GCGACATCCT
                                                                            480
 276 GATCGCCTCC GAGCACGCCC GCTTCGNCGA CACCCACGCC CGGGTGGGGC TGCTGCCCAC
                                                                            540
 278 CTGGGGACTC AGTGTGTGCT TGCCGCAAAA GGTCGGCATC GGNCTGGGCC GGTGGATGAG
                                                                            600
 280 CCTGACCGGC GACTACCTGT CCGTGACCGA CGC
                                                                            633
 283 (2) INFORMATION FOR SEQ ID NO: 7:
          (i) SEQUENCE CHARACTERISTICS:
 286
               (A) LENGTH: 1362 base pairs
 287
               (B) TYPE: nucleic acid
 288
               (C) STRANDEDNESS: single
 289
               (D) TOPOLOGY: linear
291
         (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:
293 CGACGACGAC GGCGCCGGAG AGCGGGCGCG AACGGCGATC GACGCGGCCC TGGCCAGAGT
                                                                             60
295 CGGCACCACC CAGGAGGGAG TCGAATCATG AAATTTGTCA ACCATATTGA GCCCGTCGCG
                                                                            120
297 CCCCGCCGAG CCGGCGCGC GGTCGCCGAG GTCTATGCCG AGGCCCGCCG CGAGTTCGGC
                                                                            180
299 CGGCTGCCCG AGCCGCTCGC CATGCTGTCC CCGGACGAGG GACTGCTCAC CGCCGGCTGG
                                                                            240
301 GCGACGTTGC GCGAGACACT GCTGGTGGGC CAGGTGCCGC GTGGCCGCAA GGAAGCCGTC
                                                                            300
303 GCCGCCGCCG TCGCGCCAG CCTGCGCTGC CCCTGGTGCG TCGACGCACA CACCACCATG
                                                                            360
305 CTGTACGCGG CAGGCCAAAC CGACACCGCC GCGGCGATCT TGGCCGGCAC AGCACCTGCC
                                                                            420
307 GCCGGTGACC CGAACGCGCC GTATGTGGCG TGGGCGGCAG GAACCGGGAC ACCGGCGGGA
                                                                            480
309 CCGCCGGCAC CGTTCGGCCC GGATGTCGCC GCCGAATACC TGGGCACCGC GGTGCAATTC
                                                                            540
311 CACTTCATCG CACGCCTGGT CCTGGTGCTG CTGGACGAAA CCTTCCTGCC GGGGGGCCCG
                                                                            600
313 CGCGCCCAAC AGCTCATGCG CCGCGCCGGT GGACTGGTGT TCGCCCGCAA GGTGCGCGCG
                                                                            660
315 GAGCATCGGC CGGGCCGCTC CACCCGCCGG CTCGAGCCGC GAACGCTGCC CGACGATCTG
                                                                            720
317 GCATGGGCAA CACCGTCCGA GCCCATAGCA ACCGCGTTCG CCGCGCTCAG CCACCACCTG
                                                                            780
319 GACACCGCGC CGCACCTGCC GCCACCGACT CGTCAGGTGG TCAGGCGGGT CGTGGGGTCG
                                                                            840
321 TGGCACGGCG AGCCAATGCC GATGAGCAGT CGCTGGACGA ACGAGCACAC CGCCGAGCTG
                                                                            900
323 CCCGCCGACC TGCACGCGCC CACCCGTCTT GCCCTGCTGA CCGGCCTGGC CCCGCATCAG
                                                                            960
325 GTGACCGACG ACGACGTCGC CGCGGCCCGA TCCCTGCTCG ACACCGATGC GGCGCTGGTT
                                                                           1020
327 GGCGCCCTGG CCTGGGCCGC CTTCACCGCC GCGCGCGCA TCGGCACCTG GATCGGCGCC
                                                                           1080
329 GCCGCCGAGG GCCAGGTGTC GCGGCAAAAC CCGACTGGGT GAGTGTGCGC GCCCTGTCGG
                                                                           1140
331 TAGGGTGTCA TCGCTGGCCC GAGGGATCTC GCGGCGGCGA ACGGAGGTGG CGACACAGGT
                                                                           1200
333 GGAAGCTGCG CCCACTGGCT TGCGCCCCAA CGCCGTCGTG GGCGTTCGGT TGGCCGCACT
                                                                           1260
335 GGCCGATCAG GTCGGCGCCG GCCCTTGGCC GAAGGTCCAG CTCAACGTGC CGTCACCGAA
                                                                           1320
337 GGACCGGACG GTCACCGGGG GTCACCCTGC GCGCCCAAGG AA
                                                                           1362
340 (2) INFORMATION FOR SEQ ID NO: 8:
342
         (i) SEQUENCE CHARACTERISTICS:
343
              (A) LENGTH: 1458 base pairs
```



Input Set : A:\-85-6-1.app

Output Set: N:\CRF3\10242001\I724685.raw

344	(B) TYPE: nucleic acid										
345	(C) STRANDEDNESS: single										
346		(D) TOPOLOGY: linear									
348	` ' ~										
							60				
			ATTCAGGACT				120				
			TACATCATCT				180				
			CGGGACGAGT				240				
			CACGACGAGC				300				
360	TGATGGACCG	ATCGGCGCGC	TGTGTCGCGG	CGGCCGAGGA	CCAGTATGAG	CCGGGCTCGT	360				
362	CGAGGCGGTG	GGCCGAGCGG	TTCGCCACGC	TATTACGCAA	CCTGGAATTC	CTGCCGAATT	420				
364	CGCCCACGTT	GATGAACTCT	GGCACCGACC	TGGGACTGCT	CGCCGGCTGT	TTTGTTCTGC	480				
366	CGATTGAGGA	TTCGCTGCAA	TCGATCTTTG	CGACGCTGGG	ACAGGCCGCC	GAGCTGCAGC	540				
368	GGGCTGGAGG	CGGCACCGGA	TATGCGTTCA	GCCACCTGCG	ACCCGCCGGG	GATCGGGTGG	600				
370	CCTCCACGGG	CGGCACGGCC	AGCGGACCGG	TGTCGTTTCT	ACGGCTGTAT	GACAGTGCCG	660				
372	CGGGTGTGGT	CTCCATGGGC	GGTCGCCGGC	GTGGCGCCTG	TATGGCTGTG	CTTGATGTGT	720				
374	CGCACCCGGA	TATCTGTGAT	TTCGTCACCG	CCAAGGCCGA	ATCCCCCAGC	GAGCTCCCGC	780				
376	ATTTCAACCT	ATCGGTTGGT	GTGACCGACG	CGTTCCTGCG	GGCCGTCGAA	CGCAACGGCC	840				
378	TACACCGGCT	GGTCAATCCG	CGAACCGGCA	AGATCGTCGC	GCGGATGCCC	GCCGCCGAGC	900				
380	TGTTCGACGC	CATCTGCAAA	GCCGCGCACG	CCGGTGGCGA	TCCCGGGCTG	GTGTTTCTCG	960				
382	ACACGATCAA	TAGGGCAAAC	CCGGTGCCGG	GGAGAGGCCG	CATCGAGGCG	ACCAACCCGT	1020				
384	GCGGGGAGGT	CCCACTGCTG	CCTTACGAGT	CATGTAATCT	CGGCTCGATC	AACCTCGCCC	1080				
386	GGATGCTCGC	CGACGGTCGC	GTCGACTGGG	ACCGGCTCGA	GGAGGTCGCC	GGTGTGGCGG	1140				
388	TGCGGTTCCT	TGATGACGTC	ATCGATGTCA	GCCGCTACCC	CTTCCCCGAA	CTGGGTGAGG	1200				
390	CGGCCCGCGC	CACCCGCAAG	ATCGGGCTGG	GAGTCATGGG	TTTGGCGGAA	CTGCTTGCCG	1260				
392	CACTGGGTAT	TCCGTACGAC	AGTGAAGAAG	CCGTGCGGTT	AGCCACCCGG	CTCATGCGTC	1320				
394	GCATACAGCA	GGCGGCGCAC	ACGGCATCGC	GGAGGCTGGC	CGAAGAGCGG	GGCGCATTCC	1380				
396	CGGCGTTCAC	CGATAGCCGG	TTCGCGCGGT	CGGGCCCGAG	GCGCAACGCA	CAGGTCACCT	1440				
398	CCGTCGCTCC	GACGGGCA					1458				
401	(2) INFORMATION FOR SEQ ID NO: 9:										
403	• •		RACTERISTICS			•					
404	• •	-	862 base pa								
405											
406			ONESS: singl	le							
407		D) TOPOLOGY	_								
409	(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:										
411	• •	-	CTGGAACCGC	-		ATCTACTGGC	60				
			GGCATCGCGG				120				
415	TCATCGCCTT	CGTCGACAGC	AGCGCCGGTG	CCAAACCGGT	CAGCGCCGAC	AAGCCGGCCT	180				
417	CCGCCCAGAG	CCATCCGGGC	TCGCCGGCAC	CCCAAGCACC	CCAGCCGGCC	GGGCAAACCG	240				
			CCGCCGCAGG				300				
			GTGCTCAAGG				360				
			GCGCCGCAGT				420				
			CTGGTGTCCT				480				
			GACAACAAGC				540				
			ACGTTTTCCC				600				
			CCGCGCTGCC				660				
			CTGGGCAATC				720				
			GGGCCGGTAC				780				

Use of n and / or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to ensure a corresponding explanation is present in the <220> to <223> fields of each sequence using n or Xaa.

Use of n and / or Xaa has been detected a Sequence Listing. Review the Sequence with to ensure a corresponding explanation as greater in the <220> to <223> fields of each sequence using n or Xaa.

old format

VERIFICATION SUMMARY

DATE: 10/24/2001 TIME: 12:35:48 PATENT APPLICATION: US/09/724,685

Input Set : A:\-85-6-1.app

Output Set: N:\CRF3\10242001\I724685.raw

```
L:31 M:220 C: Keyword misspelled or invalid format, [(A) APPLICATION NUMBER:]
L:32 M:220 C: Keyword misspelled or invalid format, [(B) FILING DATE:]
L:1894 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:54
L:1955 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:58
L:1969 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:59
L:1999 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:61
L:2063 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:63
L:2151 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:65
L:2221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67
L:2224 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67
L:2227 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67
L:2250 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:68
L:2271 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:68
L:3081 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:81
L:3093 \ M:341 \ W: \ (46) \ "n" \ or "Xaa" \ used, for SEQ ID#:81
L:3123 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:81
L:3190 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83
L:3193 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83
L:3196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83
L:3199 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83
L:3212 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84
L:3218 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84
L:3221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84
L:3265 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85
L:3268 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85
L:3378 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89
L:3381 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89
L:3384 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89
L:3399 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89
L:3475 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:91
L:4490 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114
L:4760 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:124
L:4774 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:125
L:4804 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:127
L:4835 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:129 L:4838 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:129
L:4873 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:131
L:4894 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:132
L:4908 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:133
L:4922 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:134
L:4936 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:135
L:4964 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:137
L:5271 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:145
L:5283 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:145
```